



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

XXXI. *A Catalogue of the Fifty Plants, from Chelsea Garden, presented to the Royal Society, by the Worshipful Company of Apothecaries, for the Year 1773, pursuant to the Direction of Sir Hans Sloane, Bart. Med. Reg. et Soc. Reg. nuper Præses. By William Curtis, clariff. Soc. Pharmaceut. Lond. Soc. Hort. Chelsean. Præfekt. et Prælector Botan.*

Presented February 17, 1774.

2501 **Æ**GOPODIUM (Podagraria) foliis caulinis  
summis ternatis. Lin. Spec. plant.  
ed. 3tia. 379.

Angelica sylvestris minor five erratica. Bauh.  
pin. 155. 3.

Herba Gerardi. Gerard, 848. fig. 2.

2502 **B**ALLOTA (Nigra) foliis cordatis, indivisis,  
ferratis; calycibus acuminatis. Lin. Spec.  
plant. 814. 1.

Marrubium nigrum foetidum. Bauh. pin.  
230. 4.

Marrubium nigrum. Gerrard, 566.

- 2503 *BUNIAS* (Orientalis) filiculis ovatis, gibbis, verrucosis. Lin. Spec. plant. 936. 3.  
Crambe Orientalis dentis leonis folio, eru-  
ginis facie. Tournef. cor. 41.
- 2504 *CACALIA* (Suaveolens) caule herbaceo, foliis  
hastato-sagittatis, denticulatis; petiolis su-  
perne dilatis. Lin. Spec. plant. 1170. 10.
- 2505 *CALCEOLARIA* (Pinnata) foliis pinnatis. Lin.  
Mantif. alter. 171. descript. opt.  
Calceolaria foliis scabiosæ vulgaris. Feuille.  
Peruv. 3. 12. t. 7.
- 2506 *CHELONE* (Glabra  $\beta$ ) foliis lanceolatis serratis;  
summis oppositis. Lin. Spec. plant. 849. 1.  
Chelone floribus speciosis pulcherrimis, colore  
rosæ damascenæ. Gron. Virg. 71. Miller,  
Icon. 62. t. 93.
- 2507 *CHENOPODIUM* (Vulvaria) foliis integerrimis  
rhombico ovatis; floribus conglomeratis.  
Lin. Spec. plant. 321.  
Atriplex foetida. Bauh. pin. 119. Ger. em.  
327.
- 2508 *CONIUM* (Maculatum) feminibus striatis. Lin.  
Spec. plant. 349.  
Cicuta major. Bauh. pin. 160.
- 2509 *CORONILLA* (Varia) herbacea, leguminibus  
erectis teretibus, torosis, numerosis; foliolis  
plurimis glabris. Lin. Spec. plant. 1048.  
Securidaca dumetorum major, flore vario, si-  
liquis articulatis. Bauh. pin. 349.
- 2510 *CROTALARIA* (Chinensis) foliis simplicibus,  
ovatis, subpetiolatis; stipulis minutissimis.  
Lin. Spec. plant. 1003,

- 2511 **CYTISUS** (Supinus) floribus umbellatis, terminalibus; ramis decumbentibus; foliolis ovatis. Lin. Spec. plant. 1042.  
Cytisus supinus foliis infra et filiquis molli lanugine pubescentibus. Bauh. pin. 390.
- 2512 **DIANTHUS** (Armeria) floribus aggregatis fasciculatis, squamis calycinis lanceolatis, villosis, tubum æquantibus. Lin. Spec. plant. 586. 3.  
Caryophyllus barbatus sylvestris. Bauh. pin. 208.
- 2513 **DRABA** (Alpina) scapo nudo simplici, foliis lanceolatis integerrimis. Lin. Spec. plant. 896. Oeder. fl. Dan. tab. 56.  
Sedum alpinum luteum hirsutum. Bauh. pin. 284.
- 2514 **ELYMUS** (Caninus) spica nutante arcta, spiculis rectis involucreo destitutis, infimis geminis. Lin. Spec. plant. 124. Buxb. Cent. 4. p. 29. t. 50.
- 2515 **ELYMUS** (Sibiricus) spica pendula arcta, spiculis binatis, calyce longioribus. Lin. Spec. plant. 123. Gmelin. Sibir. 1. p. 123. t. 28.
- 2516 **ERICA** (Multiflora) antheris simplicibus, bifidis, exsertis; corollis cylindricis; foliis quinis patentibus. Lin. Spec. plant. 503.  
Erica foliis corios multiflora. Bauh. Hist. 1. 356. Lobel. Hist. 620.
- 2517 **FUMARIA** (Capnoides) filiquis linearibus, tetragonis; caulibus diffusis, acutangulis. Lin. Spec. plant. 984. Pluk. alm. 262. t. 90.  
Miller, Icons,

- 2518 **INULA** (Squarrosa) foliis ovalibus, lævibus, reticulato-venosis, subcrenatis; calyculis squarrosis. Lin. Spec. plant. 1240.  
After luteus latifolius glaber, foliis rigidis et minutissime crenatis. Pluk. alm. 37. t. 16. f. 1.
- 2519 **LOBELIA** (Triquetra) caule erecto; foliis lanceolatis, dentatis; racemo terminali aphylo. Lin. Mantiss. 120. 27.
- 2520 **LUPINUS** (Angustifolius) calycibus alternis appendiculatis; labio superiore bipartito, inferiore integro. Lin. Spec. plant. 1015.  
Lupinus angustifolius cœruleus elatior. Ray Hist. 908.
- 2521 **LUPINUS** (Luteus) calycibus verticillatis, appendiculatis; labio superiore bipartito, inferiore tridentato. Lin. Sp. pl. 1015. 6.  
Lupinus sylvestris flore luteo. Bauh. pin. 348.
- 2522 **LANTANA** (Involucrata) foliis oppositis; caule inermi; floribus capitato-umbellatis, involucrato-foliosis. Lin. Spec. plant. 874.  
Camara arborescens salviæ folio. Plum. gen. 32. Ic. 71. fig. 2.
- 2523 **MIRABILIS** (Longiflora) floribus congestis, terminalibus, longissimis, nutantibus; foliis subvillosis. Lin. Spec. plant. 252.  
Mirabilis Mexicana. Hern. Mex. 170. f. 2.
- 2524 **MONARDA** (Punctata) floribus verticillatis; corollis punctatis. Lin. Spec. plant. 33. 4.  
Clinopodium Virginianum angustifolium quovis verticillo duodecim foliolis rubentibus cincto. Pluk. alm. 111. t. 24. fig. 1.

- 2525 *NEPETA* (Cataria) floribus spicatis, verticillis subpedicellatis; foliis petiolatis cordatis dentato-ferratis. Lin. Spec. plant. 796.  
Mentha Cataria vulgaris et major. Bauh. pin. 228.
- 2526 *OENOTHERA* (Pumila) foliis lanceolatis, obtusis, glabris, subpetiolatis; caulibus prostratis; capsulis acutangulis. Lin. Spec. plant. 493.  
*Lyfimachia filiquosa* glabra minor mariana, angustioribus foliis. Pluk. mant. 123.  
Miller, Icon. 188.
- 2527 *OENOTHERA* (Fruticosa) foliis lanceolatis, subdentatis; capsulis pedicellatis, acutangulis; racemo pedunculato. Lin. Spec. plant. 492.
- 2528 *ONONIS* (Rotundifolia) fruticosa; pedunculis trifloris; calycibus triphyлло-bracteatis; foliis ternatis subrotundis. Lin. Spec. plant. 1010.  
*Cicer sylvestre latifolium triphyllum*. Bauh. pin. 347.
- 2529 *OROBUS* (Vernus) foliis pinnatis ovatis; stipulis semisagittatis integerrimis; caule simplici. Lin. Spec. plant. 1028.  
*Orobus sylvaticus purpureus vernus*. Bauh. pin. 351.
- 2530 *PANICUM* (Filiforme) spicis subdigitatis, approximatis, erectis, filiformibus; rachi flexuosa; dentibus bifloris, altero sessili. Lin. Spec. plant. 85.
- 2531 *PANICUM* (Capillare) panicula capillari erecta, patenti; caule hirsuto. Lin. Spec. plant. 85.

- 2532 **PANICUM** (Polystachion) spicis teretibus; involucrellis unifloris, fasciculato-setosis, culmis erectis superne ramosis. Lin. Spec. plant. 82.
- 2533 **PHLOMIS** (Herba Venti) involucreis fetaceis, hispidis; foliis ovato-oblongis, scabris; caule herbaceo. Lin. Spec. plant. 819.  
Marrubium nigrum longifolium. Bauh. pin. 230.
- 2534 **PHLOMIS** (Tuberosa) involucreis hispidis, subulatis; foliis cordatis, scabris; caule herbaceo. Lin. Spec. plant. 820.  
Galeopsis maxima foliis hormini. Buxb. cent. 1. p. 4. t. 6.
- 2535 **PHLOX** (Glaberrima) foliis lineari-lanceolatis, glabris; caule erecto; corymbo terminali. Lin. Spec. plant. 217.  
Lychnidea folio malampyri. Dill. Hort. Elth. 203. t. 166. f. 202.
- 2536 **POLYGONUM** (Amphibium) floribus pentandris, semidigynis; staminibus corolla longioribus. Lin. Spec. plant. 517.  
Potamogeton salicis folio. Bauh. pin. 193.
- 2537 **PSORALEA** (Pinnata) foliis pinnatis, linearibus; floribus axillaribus. Lin. Spec. plant. 1074.  
Genistæ affinis arbor Africana monospermos, flore cœruleo, foliis pinnatis. Herm. Lugdb. 272. t. 273.
- 2538 **PTERIS** (Cheusanica). Polypodium caule simplicis, foliis simplicibus variis longis serratis. Burm. Thes. Zeyl. p. 196. tab. 87.

- Filicula cheufanica. Pluk. Amalth. p. 94.  
Phyt. t. 407. fig. 2.
- 2539 RANUNCULUS (Arvensis) seminibus aculeatis;  
foliis superioribus decompositis linearibus.  
Lin. Spec. plant. 780.  
Ranunculus arvensis echinatus. Bauh. pin.  
179.
- 2540 ROSMARINUS (Officinalis). Lin. Sp. pl. 33-  
Bauh. pin. 217.
- 2541 SAXIFRAGA (Stolonifera) foliis radicalibus  
subrotundis, crenatis, hirsutis; stolonibus re-  
pentibus.
- 2542 SIEGESBECHIA (Orientalis) petiolis sessilibus;  
calycibus exterioribus linearibus majoribus  
patentibus. Lin. Spec. plant. 1269.  
Bidenti similis foliis latissimis ferratis. Buxb.  
cent. 3. p. 29. t. 52.
- 2543 SILENE (Acaulis). Lin. Spec. plant. Oed.  
dan. t. 21.  
Muscus alpinus lychnidis flore. Bauh. hist. 3.  
p. 767.
- 2544 TRUCRIUM (Virginicum) foliis ovatis, inæ-  
qualiter ferratis; racemis terminalibus. Lin.  
Spec. plant. Gron. Virg. 64.
- 2545 TRAGOPOGON (Dalechampii) calycibus mo-  
nophyllis, corolla brevioribus, inermibus;  
foliis runcinatis. Lin. Spec. plant. 1110.  
Hieracium asperum flore magno dentis leonis.  
Bauh. pin. 127.
- 2546 TRIFOLIUM (Rubens) spicis villosis longis;  
corollis monopetalis, caule erecto, foliis  
ferrulatis. Lin. Spec. plant. 1081.  
Trifolium



*Trifolium montanum* spica longissima rubente.

Bauh. pin. 328.

- 2547 *VERBENA* (Nodiflora) tetrandra, spicis capitato-conicis; foliis serratis; caule repente.  
Lin. Spec. plant. 28.

*Verbena nodiflora*. Bauh. pin. 269.

- 2548 *VICIA* (*Faba minor*  $\beta$ ) caule erecto, petiolis absque cirrhis. Lin. Spec. plant. 1039.

*Faba minor* sive *equina*. Bauh. pin. 338.

- 2549 *ZIZIPHORA* (Capitata) capitulis terminalibus, foliis ovatis. Lin. Spec. plant. 31.

*Thymus humilis latifolius*. Buxb. cent. 3. p. 28. t. 51. f. 1.

- 2550 *ZIZIPHORA* (Tenuior) floribus lateralibus; foliis lanceolatis. Lin. Spec. plant. 31.

*Aeinos Syriaca* folio mucronato capsulis hirsutis. Moris. hist. 3. p. 404. f. 11. t. 19. f. 3, 4.